

### SAFETY DATA SHEET

### 992- MASSIVELINE Waterborne Wood Care Product

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**Product name** 992- MASSIVELINE Waterborne Wood Care Product

**Description** Acrylic emulsion based, water-borne, transparent, decorative wood care product.

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses All types of new and weathered wood exposed outside and garden furniture, sea vehicles,

doors and windows.

#### 1.3. Details of the supplier of the safety data sheet

Supplier DYO Boya Fabrikaları San. ve Tic. A.Ş

D.O.S.B 2.Kısım Fırat Cad. No:11 Dilovası/Kocaeli/Turkey

02627547560 02627547571 www.dyo.com.tr

Contact person Olcay EREN

Manufacturer DYO Boya Fabrikaları San. ve Tic. A.Ş

D.O.S.B 2.Kısım Fırat Cad. No:11 Dilovası/Kocaeli/Turkey

02627547560 02627547571 www.dyo.com.tr

## 1.4. Emergency telephone number

**Emergency telephone** 02627547560 / 02624440396

#### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

## Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Not Classified

**Environmental hazards** Aquatic Chronic 3 - H412

2.2. Label elements

Hazard statements H412 Harmful to aquatic life with long lasting effects.

EUH208 Contains 3-iodo2-propynyl butyl carbamate, Mixture of 5-chloro-2-methyl-4-

isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6]

(3:1). May produce an allergic reaction.

**Precautionary statements** P102 Keep out of reach of children.

P273 Avoid release to the environment.

P501 İçeriği/kabı Çevre ve Şehircilik Bakanlığı'nın "Atık Yönetimi Yönetmeliği" Madde 9'a göre

bertaraf edin.

#### 2.3. Other hazards

# SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

2-(2-BUTOXYETHOXY)ETHANOL 0,6-0,8%

CAS number: 112-34-5 EC number: 203-961-6

Classification
Eye Irrit. 2 - H319

3-iodo2-propynyl butyl carbamate 0,3±0,03%

Classification

Acute Tox. 4 - H302 Acute Tox. 3 - H331 Eye Dam. 1 - H318 Skin Sens. 1 - H317 STOT RE 1 - H372 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

Mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-

<0,0015%

239-6] (3:1)

CAS number: 55965-84-9

M factor (Acute) = 1 M factor (Chronic) = 1

Classification

Acute Tox. 3 - H301 Acute Tox. 3 - H311 Acute Tox. 3 - H331 Skin Corr. 1B - H314 Skin Sens. 1 - H317 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

The full text for all hazard statements is displayed in Section 16.

## SECTION 4: First aid measures

# 4.1. Description of first aid measures

**General information** No special treatment required.

**Inhalation** Fresh air and rest.

Ingestion Rinse mouth. Give plenty of water to drink. Keep affected person under observation. Get

medical attention immediately.

Skin contact After contact with skin, take off immediately all contaminated clothing, and wash immediately

with plenty of water.

Revision date: 02/06/2020 Revision: 0.4 Supersedes date: 29/01/2016

### 992- MASSIVELINE Waterborne Wood Care Product

**Eye contact** Continue to rinse for at least 15 minutes and get medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

General information Treat symptomatically.

### 4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

# **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media The product is non-combustible.

### 5.2. Special hazards arising from the substance or mixture

**Specific hazards** The product is not flammable.

#### 5.3. Advice for firefighters

Protective actions during

firefighting

No specific firefighting precautions known.

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with eyes and prolonged skin contact. Provide adequate ventilation. Wear

protective gloves.

#### 6.2. Environmental precautions

**Environmental precautions** Avoid discharge into drains or watercourses or onto the ground.

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Absorb spillage with non-combustible, absorbent material. Flush contaminated area with

plenty of water. Contain spillage with sand, earth or other suitable non-combustible material.

#### 6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. See Section 11 for additional information on health

hazards. For waste disposal, see Section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Usage precautions** Provide adequate ventilation.

Advice on general Do not eat, drink or smoke when using this product. Wash hands and any other contaminated

occupational hygiene areas of the body with soap and water before leaving the work site.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in closed original container at temperatures between 5°C and 25°C.

7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

#### SECTION 8: Exposure controls/Personal protection

### 8.1. Control parameters

Ingredient comments No exposure limits known for ingredient(s).

#### 8.2. Exposure controls

#### Protective equipment







Appropriate engineering

controls

Provide adequate ventilation.

Eye/face protection

Wear chemical splash goggles.

Hand protection

Wear protective gloves.

Other skin and body

protection

Wear chemical protective suit.

Hygiene measures

Provide eyewash station. Remove contaminated clothing and wash the skin thoroughly with

soap and water after work.

Respiratory protection

No specific requirements are anticipated under normal conditions of use.

**Environmental exposure** 

controls

Store in a demarcated bunded area to prevent release to drains and/or watercourses.

### SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Appearance Liquid.

Colour Various colours.

Odourless.

Odour threshold Technically not feasible.

**pH** 8,0 - 8,5

**Melting point** Technically not feasible.

**Initial boiling point and range** Technically not feasible.

Flash point Technically not feasible.

**Evaporation rate** Technically not feasible.

**Evaporation factor** Technically not feasible.

Flammability (solid, gas) Technically not feasible.

Upper/lower flammability or

explosive limits

Technically not feasible.

Other flammability Technically not feasible.

Vapour pressure Technically not feasible.

Vapour density Technically not feasible.

Relative density No specific test data are available.

**Bulk density** 0,98 - 1,02 g/cm3, 25°C

Solubility(ies) Soluble in water.

Partition coefficient Technically not feasible.

Auto-ignition temperature Technically not feasible.

Revision date: 02/06/2020 Revision: 0.4 Supersedes date: 29/01/2016

#### 992- MASSIVELINE Waterborne Wood Care Product

**Decomposition Temperature** No specific test data are available.

10 - 14 s/D4, 25°C Viscosity

**Explosive properties** Technically not feasible.

Explosive under the influence

of a flame

Not considered to be explosive.

Oxidising properties There are no chemical groups present in the product that are associated with oxidising

properties.

Comments Information given is applicable to the product as supplied.

9.2. Other information

Refractive index Technically not feasible.

Particle size No specific test data are available.

Molecular weight Technically not feasible.

Volatility No specific test data are available.

Saturation concentration Technically not feasible. Critical temperature Technically not feasible.

Volatile organic compound <130 g/L (Teorik), Directive 2004/42/CE Annex.II.A-f

### SECTION 10: Stability and reactivity

# 10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable at normal ambient temperatures.

# 10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

products

Will not polymerise.

10.4. Conditions to avoid

Conditions to avoid There are no known conditions that are likely to result in a hazardous situation.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a

hazardous situation.

### 10.6. Hazardous decomposition products

Hazardous decomposition

Does not decompose when used and stored as recommended.

# SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

**Toxicological effects** No information available.

Other health effects There is no evidence that the product can cause cancer.

General information No specific health hazards known.

**Inhalation** No specific health hazards known.

**Ingestion** Harmful if swallowed.

Skin contact

No specific health hazards known.

Eye contact

May cause temporary eye irritation.

Route of exposure Ingestion.

Toxicological classifications are based on available information. RTECS (Portland Cement): VV8770000

Toxicological information on ingredients.

# 3-iodo2-propynyl butyl carbamate

Acute toxicity - oral

Acute toxicity oral (LD<sub>50</sub> 1,400.0

mg/kg)

Species Rat

**ATE oral (mg/kg)** 1,400.0

Acute toxicity - dermal

Acute toxicity dermal (LD<sub>50</sub> 2,100.0

mg/kg)

Species Rabbit

**ATE dermal (mg/kg)** 2,100.0

Acute toxicity - inhalation

Acute toxicity inhalation 2.756

(LC50 vapours mg/l)

Species Rat

ATE inhalation (vapours 2.756

mg/l)

Mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)

Acute toxicity - oral

Acute toxicity oral (LD50

75.0

mg/kg)

**Species** Rat

**ATE oral (mg/kg)** 100.0

Acute toxicity - dermal

Acute toxicity dermal (LD50 141.0

mg/kg)

Species Rabbit

ATE dermal (mg/kg) 300.0

Revision date: 02/06/2020 Revision: 0.4 Supersedes date: 29/01/2016

# 992- MASSIVELINE Waterborne Wood Care Product

Acute toxicity - inhalation

Acute toxicity inhalation 0.33

(LC50 dust/mist mg/l)

**Species** Rat

ATE inhalation 0.33

(dusts/mists mg/l)

#### SECTION 12: Ecological information

**Ecotoxicity** Not regarded as dangerous for the environment.

12.1. Toxicity

Ecological information on ingredients.

### 3-iodo2-propynyl butyl carbamate

Acute aquatic toxicity

**LE(C)**<sub>50</sub>  $0.01 < L(E)C50 \le 0.1$ 

M factor (Acute) 10

Chronic aquatic toxicity

M factor (Chronic) 1

Mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)

Acute aquatic toxicity

**LE(C)**<sub>50</sub>  $0.1 < L(E)C50 \le 1$ 

M factor (Acute) 1

Chronic aquatic toxicity

**NOEC**  $0.01 < NOEC \le 0.1$ 

**Degradability** Non-rapidly degradable

M factor (Chronic) 1

12.2. Persistence and degradability

Persistence and degradability The product is not biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential The product is not bioaccumulating.

Partition coefficient Technically not feasible.

12.4. Mobility in soil

**Mobility** Not considered mobile.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

This product does not contain any substances classified as PBT or vPvB.

assessment

12.6. Other adverse effects

Other adverse effects No information required.

Revision date: 02/06/2020 Revision: 0.4 Supersedes date: 29/01/2016

## 992- MASSIVELINE Waterborne Wood Care Product

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

General information Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority. Dispose of empty containers in accordance with national regulations. International Disposal Code of product: 080111 International Disposal code of

containers: 150110

Disposal methods Burning
Waste class H-5

### SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

#### 14.1. UN number

Not applicable.

#### 14.2. UN proper shipping name

Not applicable.

#### 14.3. Transport hazard class(es)

No transport warning sign required.

#### 14.4. Packing group

Not applicable.

#### 14.5. Environmental hazards

### Environmentally hazardous substance/marine pollutant

No.

### 14.6. Special precautions for user

Not applicable.

# 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

### SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dangerous Preparations Directive 1999/45/EC.

**EU legislation** Dangerous Substances Directive 67/548/EEC.

Directive 91/155/EEC: System of specific information relating to Dangerous Preparations Regulation No: 1907/2006 of the European Parliament and the Council of 01.06.2007 (EC) concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council on

classification, labelling and packaging of substances and mixtures.

## 15.2. Chemical safety assessment

#### SECTION 16: Other information

# **General information** The temperature of the surface should not be lower than 5°C.

**Revision comments** Product name change.

Issued by OLCAY EREN/ DYO İnşaat Boyaları Ar-Ge Mühendisi

Sertifikalı Güvenlik Bilgi Formu Hazırlayıcısı, Sertifika no: GBF-A-0-2883 www.dyo.com.tr olcay.eren@dyo.com.tr Tel: +90 262 754 75 60

Revision date 02/06/2020

Revision 0.4

Supersedes date 29/01/2016

SDS number 20458

Hazard statements in full H301 Toxic if swallowed.

H302 Harmful if swallowed. H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H372 Causes damage to organs (Larynx) through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

EUH208 Contains 3-iodo2-propynyl butyl carbamate, Mixture of 5-chloro-2-methyl-4-

isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6]

(3:1). May produce an allergic reaction.

The information contained in this safety data sheet is provided in accordance with the requirements of the Chemicals (Hazard Information and Packaging) Regulations. The product should not be used for purposes other than those shown in Section 1 without first referring to the supplier and obtaining written handling instructions. As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that requirements of relevant legislation are complied with. The information contained in this material safety data sheet is based on the present state of knowledge and current national legislation. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications.