



SAFETY DATA SHEET

227 TEXTURE WATER BORNE EXTERIOR COATING

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name 227 TEXTURE WATER BORNE EXTERIOR COATING

Description Textured water borne matt exterior paint, based on acrylic emulsion.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Her türlü beton, gaz beton, briket, tuğla, sıva ve benzeri mineral yüzeylerde kullanılır. Elastik boya sistemleri üzerine uygulanmamalıdır.

1.3. Details of the supplier of the safety data sheet

Supplier DYO Boya Fabrikaları San. ve Tic. A.Ş.
D.O.S.B 2.Kısım Fırat Cad. No:11 Dilovası/Kocaeli/Turkey
www.dyo.com.tr
02627547560
02627547571

Contact person Kenan Sabak

Manufacturer DYO Boya Fabrikaları San. ve Tic. A.Ş.
D.O.S.B 2.Kısım Fırat Cad. No:11 Dilovası/Kocaeli/Turkey
www.dyo.com.tr
02627547560
02627547571

1.4. Emergency telephone number

Emergency telephone 02627547560 / 02624440396

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

2.2. Label elements

Hazard statements EUH208 Contains karışım: 5-kloro-2-metil-4-izotiazolin-3-on [EC no. 247-500-7] ve 2-metil-2H-izotiazol-3-on [EC no. 220-239-6] (3:1). May produce an allergic reaction.

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

227 TEXTURE WATER BORNE EXTERIOR COATING

| | | |
|--|--|--|
| (Etilendioksi)dimetanol | | <1% |
| CAS number: 3586-55-8 | | |
| Classification Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 | | Classification (67/548/EEC or 1999/45/EC) Xn; R22. Xi; R41, R38 |
| Mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) | | <1% |
| CAS number: 55965-84-9 | | |
| M factor (Acute) = 1 M factor (Chronic) = 1 | | |
| Classification Acute Tox. 3 - H301 Acute Tox. 2 - H310 Acute Tox. 2 - H330 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410 | | Classification (67/548/EEC or 1999/45/EC) T;R23/24/25 C;R34 R43 N;R50/53 |

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|----------------------------|--|
| General information | No special treatment required. |
| Inhalation | Fresh air and rest. |
| Ingestion | Rinse mouth. Give plenty of water to drink. Keep affected person under observation. Get medical attention. |
| Skin contact | Remove contaminated clothing immediately and wash skin with soap and water. |
| Eye contact | Continue to rinse for at least 15 minutes and get medical attention. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|----------------------------|--|
| General information | See Section 11 for additional information on health hazards. |
|----------------------------|--|

4.3. Indication of any immediate medical attention and special treatment needed

| | |
|-----------------------------|------------------------|
| Notes for the doctor | Treat symptomatically. |
|-----------------------------|------------------------|

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|-------------------------------------|---------------------------------|
| Suitable extinguishing media | The product is non-combustible. |
|-------------------------------------|---------------------------------|

5.2. Special hazards arising from the substance or mixture

| | |
|-------------------------|-------------------------------|
| Specific hazards | The product is not flammable. |
|-------------------------|-------------------------------|

5.3. Advice for firefighters

227 TEXTURE WATER BORNE EXTERIOR COATING

Protective actions during firefighting No specific firefighting precautions known.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with eyes and prolonged skin contact. Provide adequate ventilation. Wear protective gloves.

6.2. Environmental precautions

Environmental precautions Avoid discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb spillage with non-combustible, absorbent material. Flush contaminated area with plenty of water. Contain spillage with sand, earth or other suitable non-combustible material.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Provide adequate ventilation.

Advice on general occupational hygiene Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store at moderate temperatures in dry, well ventilated area.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Ingredient comments No exposure limits known for ingredient(s).

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Provide adequate ventilation.

Eye/face protection

Wear chemical splash goggles.

Hand protection

Wear protective gloves.

Other skin and body protection

Wear chemical protective suit.

Hygiene measures

Provide eyewash station. Remove contaminated clothing and wash the skin thoroughly with soap and water after work.

227 TEXTURE WATER BORNE EXTERIOR COATING

| | |
|--|---|
| Respiratory protection | No specific requirements are anticipated under normal conditions of use. |
| Environmental exposure controls | Store in a demarcated bunded area to prevent release to drains and/or watercourses. |

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

| | |
|---|--|
| Appearance | Liquid. |
| Colour | Various colours. |
| Odour | Odourless. |
| Odour threshold | Technically not feasible. |
| pH | 8,0 - 8,6 |
| Melting point | Technically not feasible. |
| Initial boiling point and range | Technically not feasible. |
| Flash point | Technically not feasible. |
| Evaporation rate | Technically not feasible. |
| Evaporation factor | Technically not feasible. |
| Flammability (solid, gas) | Technically not feasible. |
| Upper/lower flammability or explosive limits | Technically not feasible. |
| Other flammability | Technically not feasible. |
| Vapour pressure | Technically not feasible. |
| Vapour density | Technically not feasible. |
| Relative density | No specific test data are available. |
| Bulk density | 1,75 - 1,79 g/cm ³ , 25°C |
| Solubility(ies) | Soluble in water. |
| Partition coefficient | Technically not feasible. |
| Auto-ignition temperature | Technically not feasible. |
| Decomposition Temperature | No specific test data are available. |
| Viscosity | 100-110 KU2/25°C |
| Explosive properties | Technically not feasible. |
| Explosive under the influence of a flame | Not considered to be explosive. |
| Oxidising properties | There are no chemical groups present in the product that are associated with oxidising properties. |
| Comments | Information given is applicable to the product as supplied. |

9.2. Other information

| | |
|-------------------------|--------------------------------------|
| Refractive index | Technically not feasible. |
| Particle size | No specific test data are available. |

227 TEXTURE WATER BORNE EXTERIOR COATING

| | |
|----------------------------------|---|
| Molecular weight | Technically not feasible. |
| Volatility | No specific test data are available. |
| Saturation concentration | Technically not feasible. |
| Critical temperature | Technically not feasible. |
| Volatile organic compound | <40 g/L(theoretical), Directive 2004/42/CE Annex II.A-a |

SECTION 10: Stability and reactivity

10.1. Reactivity

| | |
|-------------------|---|
| Reactivity | There are no known reactivity hazards associated with this product. |
|-------------------|---|

10.2. Chemical stability

| | |
|------------------|--|
| Stability | Stable at normal ambient temperatures. |
|------------------|--|

10.3. Possibility of hazardous reactions

| | |
|---|----------------------|
| Possibility of hazardous reactions | Will not polymerise. |
|---|----------------------|

10.4. Conditions to avoid

| | |
|----------------------------|---|
| Conditions to avoid | There are no known conditions that are likely to result in a hazardous situation. |
|----------------------------|---|

10.5. Incompatible materials

| | |
|---------------------------|--|
| Materials to avoid | No specific material or group of materials is likely to react with the product to produce a hazardous situation. |
|---------------------------|--|

10.6. Hazardous decomposition products

| | |
|---|---|
| Hazardous decomposition products | Does not decompose when used and stored as recommended. |
|---|---|

SECTION 11: Toxicological information

11.1. Information on toxicological effects

| | |
|------------------------------|---|
| Toxicological effects | No information available. |
| Other health effects | There is no evidence that the product can cause cancer. |

| | |
|----------------------------|-------------------------------------|
| General information | No specific health hazards known. |
| Inhalation | No specific health hazards known. |
| Skin contact | No specific health hazards known. |
| Eye contact | May cause temporary eye irritation. |

SECTION 12: Ecological Information

| | |
|--------------------|--|
| Ecotoxicity | Not regarded as dangerous for the environment. |
|--------------------|--|

12.1. Toxicity

| | |
|---|---|
| Toxicity | The product is not believed to present a hazard due to its physical nature. |
| Acute toxicity - fish | Not available. |
| Acute toxicity - aquatic invertebrates | Not available. |

227 TEXTURE WATER BORNE EXTERIOR COATING

Acute toxicity - aquatic plants Not available.

Acute toxicity - microorganisms Not available.

Acute toxicity - terrestrial Not available.

12.2. Persistence and degradability

Persistence and degradability The product is not biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential The product is not bioaccumulating.

Partition coefficient Technically not feasible.

12.4. Mobility in soil

Mobility Not considered mobile.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects No information required.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Ürünün Avrupa Atık Kodu : 08 01 11*

Disposal methods Burning

Waste class H-5

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant
No.

14.6. Special precautions for user

227 TEXTURE WATER BORNE EXTERIOR COATING

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk according to
Annex II of MARPOL 73/78
and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Dangerous Preparations Directive 1999/45/EC.
Dangerous Substances Directive 67/548/EEC.
Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

Water hazard classification N/A

15.2. Chemical safety assessment

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet

ATE: Acute Toxicity Estimate.
EINECS : (European Inventory of Existing Commercial chemical Substances) Kimyasal maddelerin Avrupa Envanteri
CAS: Chemical Abstracts Service.
GHS: Globally Harmonized System.
LC₅₀: Lethal Concentration to 50 % of a test population.
LD₅₀: Lethal Dose to 50% of a test population (Median Lethal Dose).
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
ADNR : (European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways) Tehlikeli Yüklerin Uluslararası İç Suyollarıyla Tasinması Hakkında Avrupa Anlaşması.
RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.
ICAO-TI: Technical Instructions for the Safe Transport of Dangerous Goods by Air.
IMDG: International Maritime Dangerous Goods.
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006.

General information The temperature of the surface should not be lower than 5°C.

Revision comments This is first issue.

Issued by Kenan Sabak / Dyo Architectural Paints Research and Development Specialsit.
Certified Safety Data Sheet Preparer, Certification no: GBF-1796
www.dyo.com.tr kenan.sabak@dyo.com.tr Tel : +90 262 754 75 60

Revision date 03/05/2016

Revision 0.1

Supersedes date 03/05/2016

SDS number 20717

227 TEXTURE WATER BORNE EXTERIOR COATING

| | |
|----------------------------------|---|
| Risk phrases in full | R48/22 Harmful: danger of serious damage to health by prolonged exposure if swallowed. |
| Hazard statements in full | H301 Toxic if swallowed. H302 Harmful if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H331 Toxic if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. EUH208 Contains Mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction. |

The information contained in this safety data sheet is provided in accordance with the requirements of the Chemicals (Hazard Information and Packaging) Regulations. The product should not be used for purposes other than those shown in Section 1 without first referring to the supplier and obtaining written handling instructions. As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that requirements of relevant legislation are complied with. The information contained in this material safety data sheet is based on the present state of knowledge and current national legislation. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications.